REFERNCES

1. Abdulmajeed, N.A., 2007. Influence of Agaricus blazei on rate liver toxicity induced by carbon tetrachloride. J. Egypt. Soc. Biotechnol. Environ. Sci. 9, 63–79.
2. Abeer M. Al-Dbass , Sooad K. Al- Daihan, Ramesa Shafi Bhat;2012, *Agaricus blazei* Murill as an efficient hepatoprotective and antioxidant agent against CCl4-induced liver injury in rats, Saudi Journal of Biological Sciences 19, 303–309.
3. Ali Keles, İlkay Koca and Hüseyin Gençcelep, Keles et al; 2011, Antioxidant Properties of Wild Edible Mushrooms, J Food Process Technol, 2:6 http://dx.doi.org/10.4172/2157-7110.1000130; Vol, 2, Issue 6, 1000130
4. Alvarez-Parrilla E, de la Rosa LA, Martinez NR, Gonzalez-Aguilar GA 2007. Total Phenols and Antioxident Activity of Commercial and Wild Mushrooms from Chiuahua, Mexico. Ciencia Y Tecnologia Alimentaria 5: 329-334.
5. Acharya K. Medicinal properties of mushroom.
6. Asatiani, M.D.; Elisashvili, V.I.; Wasser, S.P.; Reznick, A.Z.; Nevo, E. 2007. Free-radical scavenging activity of submerged mycelium extracts from higher basidiomycetes mushrooms. *Biosci.Biotechnol. Biochem. 71*, 3090–3092.
7. Acharya, K.; Chatterjee, S.; Biswas, G.; Chatterjee, A.; Saha, G.K. 2012.Hepatoprotective effect of a wild edible mushroom on carbon tetrachloride-induce hepatoprotective in mice. *Int. J. PharmPharm. Sci. 4*, 285–288.
8. B.S.nayak and K.N.patel; 2010**,** pharmacognostic studies of the jatropha curcas leaves; International Journal of PharmTech Research; Vol.2, No.1, pp 140-143, Jan-Mar**.**
9. Bipasha Chakravarty; 2011, Trends in Mushroom cultivation and breeding; Australian journal of agricultural engineering (JAE 2) (4):102-109.
10. Barros, L.; Ferreira, I.C.F.R.; Baptista, P.2008. Phenolics and antioxidant activity of mushrooms *Leucopaxillus giganteus* mycelium at different carbon sources. *Food Sci. Technol. Int. 14*,47–55.
11. Breene, W.M., 1990. Nutritional and medicinal value of specialty mushrooms. J. Food Prot. 53, 883–894.

12. Barros L, Ferreira MJ, Queirȯs B, Ferreira ICFR, Baptista P, 2007. Total phenols, ascorbic acid, β-carotene and lycopene in Portuguese wild edible mushrooms and their antioxidant activities. Food Chem 103: 413-419.
13. Chang, S.T.; Buswell, J.A. 2013.Medicinal mushrooms—A prominent source of nutraceuticals for the 21st century. *Curr. Top. Nutr. Res.1*, 257–280.
14. Elmastas M, Isıldak O, Turkekul I, Temur N, 2007. Determination of antioxidant activity and compounds in wild edible mushrooms. J Food Compost Anal 20: 337-345.
15. Ferreira, I.C.F.R.; Barros, L.; Abreu, R.M.V, 2009. Antioxidants in wild mushrooms. *Curr. Med. Chem. 16*, 1543–1560.
16. Firenzuoli, F.; Gori, L.; Lombardo, G, 2008. The medicinal mushrooms *Agaricus blazei* Murrill: Review of literature and pharmaco-toxicological problems. *Evid. Based Complement. Alternat. Med. 5*, 3–15.
17. Gao, Y.H.; Huang, M.; Lin, Z.B.; Zhou, S.F, 2003. Hepatoprotective activity and the mechanisms of action of *Ganoderma lucidum* (Curt:Fr) P. Karst. (Ling Zhi, ReishiMushroom)(Aphyllophoromycetidae). *Int. J. Med. Mushrooms. 5*, 111–131.
18. Gaafar, A.M.; Yossef, H.E.; Ibrahim, H.H, 2010. Protective effects of mushroom and their ethyl extraction aging compared with L-carnitine. *Int. J. Nut. Metabol. 2*, 63–69.
19. Huang, S.J., Mau, J.L., 2006. Antioxidant properties of methanolic extracts from Agaricus blazei with various doses of irradiation. Lebensm. Wiss. Technol. 39 (7), 707–716.
20. Jeong, S.C., Jeong, Y.T., Yang, B.K., et al., 2010. White button mushroom (Agaricus bisporus) lowers blood glucose and cholesterol levels in diabetic and hypercholesterolemic rats. Nutr. Res. 30 (1), 49–56.
21. Jayakumar, T.; Thomas, P.A.; Geraldine, P, 2007.Protective effect of an extracts of the oyster mushroom, *Pleurotus ostreatus*, on antioxidants of major organs of aged rats. *Exp. erontol, 42*, 183–191.
22. Jayakumar, T.; Ramesh, E.; Geraldine, P,2006. Antioxidant activity of the oyster mushroom, *Pleurotusostreatus*, on CCL4-induced liver injury in rats. *Food Chem. Toxicol. 44*, 1989–1996.

23. Jonathan S, Gbolagade and Ishola D Fasidi,2005,Antimicrobial activities of some selected Nigerian mushrooms,African journal of Biomedial research,Vol 8,83-87.
24. Kaplowitz N, Aw TY, Simon FR, Stolz A, 1986.Drug-induced hepatotoxicity. Ann Intern Med, 104: 826–39.
25. Kohen and Nyska, 2002, oxidation of bilological systems: oxidative stress, phenomena,antioxidants, redox reactions and methods for the quantification, Toxicology pathology, vol 30 (6), 620-650.
26. Kohle C et al, 2008, Promotion of hepatocarcinogenesis in humans and animal models, Archves of Toxicology, vol 82, 623-663.
27. krishnendu acharya, soumya chatterjee, gunjan biswas, aniruddha chatterjee, goutam kumar saha; 2012**,** Hepatoprotective effect of a wild edible mushroom on carbon tetrachloride-induced Hepatotoxicity in mice; International Journal of Pharmacy and Pharmaceutical Sciences,ISSN- 0975-1491 Vol 4, Suppl 3.
28. K.J. Patel1, R.S Ingalhalli: 2013, *Cordyceps militaris* (L.: Fr.) Link – An Important Medicinal Mushroom.; Journal of Pharmacognosy and Phytochemistry; Vol. 2 No. 1; 315-319.
29. Kalyoncu, F.; Oskay, M.; Saglam, H.; Erdogan, T.F.; Tamer, U, 2010. Antimicrobial and antioxidant activities of mycelia of 10 wild mushrooms species. *J. Med. Food, 13*, 415–419.
30. Laia Ribas and Francesc Piferrer; 2013, the zebrafish (Danio rerio) as a model organism, with emphasis on applications for finfish aquaculture research; Reviews in Aquaculture 5, 1–32.
31. Lakshmi B, Tilak JC, Adhikari S, Decasagayam TPA, Janardhanan KK,2004. A valuation of antioxidant activity of selected Indian mushrooms. Pharmaceutical Biol 42: 179-185.
32. Lindequist, U.; Timo, H.J.N.; Julich, W.-D, 2005. The pharmacological potential of mushrooms.*Evid. Based Complement. Alternat. Med. 2*, 285–299.
33. Lin, S., Zhu, P., Liao, H., 1998. Bloking effect of mushroom beverages on carbon tetra chloride induced rat liver peroxidation. Zhongguo Gonggong Welsheng Xuebao 17, 15–15.
34. Mishra, S.; Singh, R.B, 2010. Effect of mushroom on the lipid profile, lipid peroxidation and liver functions of aging *Swiss* albino rats. *Open Nutrac. J.3*, 248–253.

35. Maikai VA et al, 2008, Acute toxicity studies of aqueous stem bark extract of *Ximenea Americana*, African Journal of Biotechnology, vol 7, 1600-1603.
36. Mahdi Banaee, Antoni Sureda , Shima Shahaf , Nastaran Fazilat; 2015**,** Protective Effects of Silymarin Extract on Malthion-Induced Zebra Cichlid (Cichlasoma Nigrofasciatum) Hepatotoxicity; Iranian Journal of Toxicology Volume 9, No 28, Spring.
37. Mahendra Rai,Girish tadke,P wasser,2005,Therapeutic potentials of mushrooms,Natural Product radiance,vol4(4),24-26.
38. María Elena Valverde, Talía Hernández-Pérez, and Octavio Paredes-López; 2015, Edible Mushrooms: Improving Human Health and Promoting Quality Life: International Journal of Microbiology,Volume, Article ID 376387.
39. Mattila, P.; Salo-Vaananen, P.; Konko, K.; Aro, H.; Jalava, T. 2002.Basic composition and amino acid contents of mushrooms cultivated in Finlands. *J. Agric. Food Chem. 50*, 6419–6422.
40. Mahendra Rai,Girish tidke and P wasser,2005.Therapeutic potential of mushrooms : Natural Product Radiance mushroom,Vol4(4).
41. Muthulingam, M.; Savio, P.D.; Seeli, T.S.; Indra, N.; Sethupaty, S,2010. Therapeutic role of ediblemushroom *Pleurotus florida* (Mont.) on thioacetamide induced hepatotoxicity in rats. *Int. J.Curr. Res. 5*, 41–46.
42. Mau JL, Chao GR, Wu KT,2001. Antioxidant properties of methanolic extracts from several ear mushrooms J Agric Food Chem 49: 5461-5467.
43. Mau JL, Lin HC, Song SF,2002. Antioxidant properties of several specialty mushrooms. Food Res Int 35: 519-526.
44. Manzi, P.; Gambelli, L.; Marconi, S.; Vivanti, V.; Pizzoferrato, L, 1999.Nutrients in edible mushrooms: An inter-species comparative study. *Food Chem. 65*, 477–482.
45. Manjulika yadav et al; 2014, preliminary phytochemical screening of six medicinal plants used in traditional medicineintl journal of Pharmacy and pharmaceutical sciences;; vol6;issue5;539-542.
46. Nada, S.A.; Omara, E.A.; Abdel-Salam, O.M.E.; Zahran, H.G, 2010.Mushroom insoluble polysaccharides prevent carbon tetrachloride-induced hepatotoxicity in rat. *Food Chem. Toxicol. 48*, 3184–3188.

47. Onori P VEC, 1996. Hepatoprotetive effect of some edible mushrooms. Phyto ther Res 10: 536–8.
48. Patrick Ying-Kit Yue1, Yi-Yi Wong, Kay Yuen-Ki Wong, Yeuk-Ki Tsoi and Kelvin Sze-Yin Leung, Yue et al; 2013**,** Current evidence for the hepatoprotective activities of the medicinal mushroom Antrodia cinnamomea Chinese Medicine, 8:21.
49. Pal J, Ganguly S, Tahsin KS, Acharya K., 2010. *In vitro* free radical scavenging activity of wild edible mushroom, *Pleurotus squarrosulus* (Mont.) Singer. Indian J Exp Biol ; 47: 1210–18.
50. Preeti, A.; Pushpa, S.; Sakshi, S.; Jyoti, A,2012. Antioxidant mushrooms: A review. *Int. Res. J.Pharm, 3*, 65–70.
51. Peralta, R.M.; Oliveira, A.L.; Eler, G.J.; Soares, A.A.; Bracht, A,2008. Funcional properties of edible and medicinal mushrooms. *Curr. Trends Microbiol*, *4*, 45–60.
52. Puttaraju, N.G.; Venkateshaiah, S.U.; Dharmesh, S.M.; Urs, S.M.N.; Somasundaram, R,2006.Antioxidant activity of indigenous mushrooms. *J. Agric. Food Chem. 54*,9764– 9772.
53. Rang-jen shiau,Pei-chun and Wu Der won; 2011.The effect of silymarin on curcumin induced mortality in zebrafish(Danio rerio) embryos and larvae ;Indian journal of exp biology;vol.49,491-497.
54. Ranjeet Singh, Avneet Pal Singh, Gurpaul Singh Dhingra, Richa Shri; 2014, Taxonomy, physicochemical evaluation and chemical investigation of *Ganoderma applanatum* and *G. brownie;* International Journal of Advanced Research; Volume 2, Issue 5, 702-711
55. R.ravikumar and a.kalidoss; 2014.Studies on antioxidant and hepatoprotective activity of ethanolic extract of morel mushroom mycelium; international journal of current research in chemistry and pharmaceutical sciences; volume 1 issue 1. pages: 93-104.
56. Seef LB, 2002, National history of chronic hepatitis C, Hepatology,vol 36,532-546.
57. Seki et al, 2005, Clinic pathological significance of oxidative cellular damage in non-alcoholic fatty liver diseases, Hepatology research, vol 33, 132-134.

58. Sumy, A.K.; Jahan, N.; Sultana, N,2010.Study on the hepatoprotective effect of oyster mushroom(*Pleurotus florida*) against paracetamol induced liver damage in Wistar Albino rats. *J. BangladeshSoc. Physiol. 5*, 46–52.
59. Soares, A.A.; Oliveira, A.L,Sá-Nakanishi, A.B.; Comar, J.F.; Rampazzo, A.P.S.; Vicentini, F.A.; Natali, M.R.M.; Costa, S.M.G.; Bracht, A.; Peralta, R.M,2013. Effects of an Agaricus *blazei* aqueous extract pretreatment on Paracetamol-induced brain and liver injury in rats. *Biomed. Res. Int.*in press.
60. Stephanie .Bopp, Marci Minuzzo, and Teresa Lettleri;2006.The zebra Fish(Danio rerio), an emerging Model organism in the Environmental field.ISSN 1018-5593**;**
61. Shanmugasundaram P and Venkatarama S, 2006, Hepatoprotective and antioxidant effects of *Hygrophia auriculata* (K Schum) Heine Acantheceae root extract, Journal of Ethnopharmacology, vol 104, 124-128.
62. Shiuan Chen et al, 2015,Anti-aromatase activity of phytochemicals in white button mushrooms(*Agaricus bisporus*). Cancer research, vol 66, 12026-12034.
63. Subrata Giri, Gunjan Biswas1, Subhash C. Mandal,Krishnendu Acharya;2012. Studies On Pharmacognostic Profiles Of Three Medicinally Important Wild Edible Mushrooms; International Journal of PharmTech Research CODEN (USA): IJPRIF ISSN: 0974-4304, Vol.4, No.4, pp 1595-1600.
64. Trista e North et al; 2010, PGE2 regulated want signaling and N-acetylcysteine are synergistically hepatoprotective in zebrafish acetaminophen injury;PNAS;vol 107,40,17315-320.
65. Thekkuttuparambil A. Ajith and Kainoor K. Janardhanan; 2007**,** Indian Medicinal Mushrooms as a Source of Antioxidant andAntitumor Agents; J. Clin. Biochem. Nutr., 40, 157–162.
66. Ulrike Lindequist, Timo H. J. Niedermeyer and Wolf-Dieter Ju¨ lich; 2005, The Pharmacological Potential of Mushrooms; eCAM;2(3)285–299
67. WHO guidelines for assessing quality of herbal medicines with reference to contaminants and residues 2007.
68. Wu, M.-F.; Hsu, Y.-M.; Tang, M.-C.; Chen, H.-C.; Chung, J.-G.; Lu, H.-F.; Lin, J.-P.; Tang, N.-Y.;Yeh, C.; Yeh, M.-Y. 2011.*Agaricus blazei* Murill extract abrogates CCl4-induced Liver Injury in Rats.*In Vivo,25*, 35–40.

69. Yang JH, Lin HC, Mau JL, 2002. Antioxidant properties of several commercial mushrooms Food Chem **77**: 229-235.
70. Zhong, J.-J.; Tang, Y.-J, 2004.Submerged cultivation of medicinal mushrooms for production of valuable bioactive metabolites. *Adv. Biochem. Eng. Biotechnol. 87*, 25–59.